



FIG. 1



2/10

FIG. 2






FIG.3




FIG.4




FIG.5

FIG. 6




FIG. 7




FIG. 8






FIG. 9



MEAN PLASMA CONCENTRATION - TIME PROFILES OF LOVASTATIN AND LOVASTATIN ACID IN PATIENTS (n=12) AFTER MULTIPLE-DOSE ADMINISTRATION OF LOVASTATIN XL OR MEVACOR

- LOVASTATIN AFTER LOVASTATIN XL
- LOVASTATIN AFTER MEVACOR
- △— LOVASTATIN ACID AFTER LOVASTATIN XL
- ▲— LOVASTATIN ACID AFTER MEVACOR





MEAN PLASMA CONCENTRATION-TIME PROFILES OF TOTAL AND ACTIVE INHIBITORS OF HMG-COA REDUCTASE IN PATIENTS (n=12) AFTER MULTIPLE-DOSE ADMINISTRATION OF LOVASTATIN XL OR NEVACOR

- TOTAL HMG-COA REDUCTASE INHIBITORS AFTER LOVASTATIN XL
- TOTAL HMG-COA REDUCTASE INHIBITORS AFTER NEVACOR
- △— ACTIVE HMG-COA REDUCTASE INHIBITORS AFTER LOVASTATIN XL
- ▲— ACTIVE HMG-COA REDUCTASE INHIBITORS AFTER NEVACOR




FIG. 11

10 / 10

